

[AHP-OS Home](#) [Latest News](#) ([forgot?](#)) [Register](#)

AHP Priority Calculator

Try my free AHP online software [AHP-OS](#)

Select number of criteria and start pairwise comparisons to calculate priorities using the Analytic Hierarchy Process.

AHP Criteria

Select number of criteria:

Input number and names (2 - 20) OK

Pairwise Comparison **13.1 Ekologinis**

6 pairwise comparisons. Please do the pairwise comparison of all criteria. When completed, click *Check Consistency* to get the priorities.

Which criterion with respect to *13.1 Ekologinis* is more important, and how much more on a scale 1 to 9?

	A - Importance - or B?	Equal	How much more?
1	<input checked="" type="radio"/> Natūralumas or <input type="radio"/> Biojvairovē	<input type="radio"/> 1	<input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
2	<input checked="" type="radio"/> Natūralumas or <input type="radio"/> Sukurtos ekosistemas	<input checked="" type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
3	<input type="radio"/> Natūralumas or <input checked="" type="radio"/> Ekologinis pajėgumas	<input type="radio"/> 1	<input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
4	<input type="radio"/> Biojvairovē or <input checked="" type="radio"/> Sukurtos ekosistemas	<input type="radio"/> 1	<input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
5	<input type="radio"/> Biojvairovē or <input checked="" type="radio"/> Ekologinis pajėgumas	<input type="radio"/> 1	<input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
6	<input checked="" type="radio"/> Sukurtos ekosistemas or <input type="radio"/> Ekologinis pajėgumas	<input checked="" type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
CR = 5.7% OK			

A - Importance - or B?	Equal	How much more?
<input type="button" value="Check Consistency"/>		<input type="button" value="Download_(.csv)"/> <input type="checkbox"/> dec. comma

AHP Scale: 1- Equal Importance, 3- Moderate importance, 5- Strong importance, 7- Very strong importance, 9- Extreme importance (2,4,6,8 values in-between).

Priorities

These are the resulting weights for the criteria based on your pairwise comparisons

Category	Priority	Rank
1 Natūralumas	22.3%	3
2 Biojvairovē	9.6%	4
3 Sukurtos ekosistemas	28.7%	2
4 Ekologinis pajēgumas	39.4%	1

Number of comparisons = 6
Consistency Ratio CR = 5.7%

Decision Matrix

The resulting weights are based on the principal eigenvector of the decision matrix

	1	2	3	4
1	1	3.00	1.00	0.33
2	0.33	1	0.33	0.33
3	1.00	3.00	1	1.00
4	3.00	3.00	1.00	1

Principal eigen value = 4.154
Eigenvector solution: 5 iterations, delta = 1.4E-8

AHP-OS author: Klaus D. Goepel, BPMSG, [contact](#), last update: Sep 4, 2017

[AHP-OS Home](#) [Latest News](#) ([forgot?](#)) [Register](#)

AHP Priority Calculator

Try my free AHP online software [AHP-OS](#)

Select number of criteria and start pairwise comparisons to calculate priorities using the Analytic Hierarchy Process.

AHP Criteria

Select number of criteria:

Input number and names (2 - 20) OK

Pairwise Comparison **Socialinis 13.1**

6 pairwise comparisons. Please do the pairwise comparison of all criteria. When completed, click *Check Consistency* to get the priorities.

Which criterion with respect to *Socialinis 13.1* is more important, and how much more on a scale 1 to 9?

	A - Importance - or B?	Equal	How much more?
1	<input checked="" type="radio"/> Pasiekiamumas or <input type="radio"/> Įtrauktis	<input type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input checked="" type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
2	<input checked="" type="radio"/> Pasiekiamumas or <input type="radio"/> Pasidalintos funkcijos	<input type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input checked="" type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
3	<input checked="" type="radio"/> Pasiekiamumas or <input type="radio"/> Saugumas	<input checked="" type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
4	<input checked="" type="radio"/> Įtrauktis or <input type="radio"/> Pasidalintos funkcijos	<input type="radio"/> 1	<input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
5	<input type="radio"/> Įtrauktis or <input checked="" type="radio"/> Saugumas	<input checked="" type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
6	<input type="radio"/> Pasidalintos funkcijos or <input checked="" type="radio"/> Saugumas	<input type="radio"/> 1	<input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input checked="" type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9
CR = 9.3% OK			

A - Importance - or B?	Equal	How much more?
<input type="button" value="Check Consistency"/>	<input type="button" value="Download_(.csv)"/>	<input type="checkbox"/> dec. comma

AHP Scale: 1- Equal Importance, 3- Moderate importance, 5- Strong importance, 7- Very strong importance, 9- Extreme importance (2,4,6,8 values in-between).

Priorities

These are the resulting weights for the criteria based on your pairwise comparisons

Category	Priority	Rank
1 Pasiekiamumas	46.6%	1
2 Įtrauktis	17.4%	3
3 Pasidalintos funkcijos	5.7%	4
4 Saugumas	30.2%	2

Number of comparisons = 6
Consistency Ratio CR = 9.3%

Decision Matrix

The resulting weights are based on the principal eigenvector of the decision matrix

	1	2	3	4
1	1	5.00	6.00	1.00
2	0.20	1	3.00	1.00
3	0.17	0.33	1	0.17
4	1.00	1.00	6.00	1

Principal eigen value = 4.254
Eigenvector solution: 5 iterations, delta = 2.8E-8

AHP-OS author: Klaus D. Goepel, BPMSG, [contact](#), last update: Sep 4, 2017

[AHP-OS Home](#) [Latest News](#) ([forgot?](#)) [Register](#)

AHP Priority Calculator

Try my free AHP online software [AHP-OS](#)

Select number of criteria and start pairwise comparisons to calculate priorities using the Analytic Hierarchy Process.

AHP Criteria

Select number of criteria:

Input number and names (2 - 20) OK

Pairwise Comparison *Estetinis 13.1*

6 pairwise comparisons. Please do the pairwise comparison of all criteria. When completed, click *Check Consistency* to get the priorities.

Which criterion with respect to *Estetinis 13.1* is more important, and how much more on a scale 1 to 9?

	A - Importance - or B?	Equal	How much more?
1	<input type="radio"/> Darna or <input checked="" type="radio"/> Skaitomumas	<input type="radio"/> 1 <input type="radio"/> 2 <input checked="" type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	
2	<input checked="" type="radio"/> Darna or <input type="radio"/> Sudėtingumas	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	
3	<input checked="" type="radio"/> Darna or <input type="radio"/> Paslaptingumas	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	
4	<input checked="" type="radio"/> Skaitomumas or <input type="radio"/> Sudėtingumas	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	
5	<input checked="" type="radio"/> Skaitomumas or <input type="radio"/> Paslaptingumas	<input type="radio"/> 1 <input checked="" type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	
6	<input checked="" type="radio"/> Sudėtingumas or <input type="radio"/> Paslaptingumas	<input checked="" type="radio"/> 1 <input type="radio"/> 2 <input type="radio"/> 3 <input type="radio"/> 4 <input type="radio"/> 5 <input type="radio"/> 6 <input type="radio"/> 7 <input type="radio"/> 8 <input type="radio"/> 9	
CR = 4.3% OK			
<input type="button" value="Check Consistency"/>		<input type="button" value="Download_(.csv)"/> <input type="checkbox"/> dec. comma	

AHP Scale: 1- Equal Importance, 3- Moderate importance, 5- Strong importance, 7- Very strong importance, 9- Extreme importance (2,4,6,8 values in-between).

Priorities

These are the resulting weights for the criteria based on your pairwise comparisons

Category	Priority	Rank
1 Darna	21.3%	2
2 Skaitomumas	43.2%	1
3 Sudėtingumas	19.0%	3
4 Paslaptingumas	16.5%	4

Number of comparisons = 6

Consistency Ratio CR = 4.3%

Decision Matrix

The resulting weights are based on the principal eigenvector of the decision matrix

	1	2	3	4
1	1	0.33	1.00	2.00
2	3.00	1	2.00	2.00
3	1.00	0.50	1	1.00
4	0.50	0.50	1.00	1

Principal eigen value = 4.118

Eigenvector solution: 5 iterations, delta = 1.4E-9

AHP-OS author: Klaus D. Goepel, BPMSG, [contact](#), last update: Sep 4, 2017